Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

SEED CHART

Lbs. Per Acre Per Bu. Alfalfa, broadcast 10-20 60 Barley 95-110 48 Blue Grass, Ky.—lawns 60-100 14 Blue Grass, Ky.—pasture 20-30 14 Brome Grass 20-30 24 Cane, broadcast 50-60 52 Cane, broadcast 50-60 50 Cane, in rows 10-12 50 Clover, Alsike—alone 5-6 60 Clover, Alsike—alone 10-12 60 Clover, Sweet—hulled 12-15 60 Clover, Sweet—unhulled 25-40 30 Clover, White Dutch 4-8 60 Corn 7-10 56 Kaffir—in rows 10-15 56 Kaffir—in rows 10-15 56 Kaffir—broadcast 50-60 56 Kaffir—broadcast 60-90 60 Kage—broadcast 60-90 60 Kage—broadcast 60-90 60 Soy Beans—broadcast 60-90 60 Soy Beans—broadcast 60-90 60 Soy Beans—broadcast 20-30 40 Sudan Grass—broadcast 20-30 40			
Alfalfa, broadcast		Lbs.	Lbs.
Barley 95-110 48 Blue Grass, Ky.—lawns 60-100 14 Blue Grass, Ky.—pasture 20-30 14 Brome Grass 20-30 14 Brome Grass 20-30 14 Broom Corn 10-15 48 Buckwheat 50-60 50 Cane, broadcast 50-60 50 Cane, in rows 10-12 50 Clover, Alsike—alone 5-6 60 Clover, Red—alone 10-12 60 Clover, Sweet—hulled 12-15 60 Clover, Sweet—unhulled 25-40 30 Clover, White Dutch 4-8 60 Corn 7-10 56 Corn 7-10 56 Corn 5-7 56 Fescue, Meadow 20-30 24 Feterita—in rows 10-15 56 Hegari—in rows 10-15 56 Kaffir—broadcast 50-60 56 Lespedeza 15-30 25 Lawn Grass 60-100 Millets—for hay 30-40 50 Millo Maize—in rows 10-15 56 Orchard Grass—hay 20-30 14 Peas—Cow Peas, broadcast 60-75 60 Rape—broadcast 60-90 60 Soy Beans—broadcast 60-90 60 Soy Beans—broadcast 60-90 60 Soy Beans—broadcast 20-30 40 Sudan Grass—hroadcast 20-30 40 Sudan Grass—hroadcast 20-30 40 Sudan Grass—hroadcast 20-30 40 Sudan Grass—in crows 6-10 40 Sunflower 6-8 24 Turnip 3-5		Per Acre	Per Bu.
Barley 95-110 48 Blue Grass, Ky.—lawns 60-100 14 Blue Grass, Ky.—pasture 20-30 14 Brome Grass 20-30 14 Broom Corn 10-15 48 Buckwheat 50-60 52 Cane, broadcast 50-60 50 Cane, in rows 10-12 50 Clover, Alsike—alone 5-6 60 Clover, Alsike—alone 10-12 60 Clover, Red—alone 10-12 60 Clover, Sweet—hulled 12-15 60 Clover, Sweet—unhulled 25-40 30 Clover, White Dutch 4-8 60 Corn 7-10 56 Corn 7-10 56 Corn 7-56 7-56 Fescue, Meadow 20-30 24 Feterita—in rows 10-15 56 Kaffir—broadcast 50-60 56 Kaffir—broadcast 50-60 56 Lawn Grass 60-10	Alfalfa, broadcast	10- 20	60
Blue Grass, Ky.—lawns 60-100 14 Blue Grass, Ky.—pasture 20-30 14 Broom Grass 20-30 14 Broom Corn 10-15 48 Buckwheat 50-60 52 Cane, broadcast 50-60 50 Cane, in rows 10-12 50 Clover, Alsike—alone 5-6 60 Clover, Red—alone 10-12 60 Clover, Sweet—hulled 12-15 60 Clover, Sweet—unhulled 25-40 30 Clover, White Dutch 4-8 60 Corn 7-10 56 Corn, Pop 5-7 56 Fescue, Meadow 20-30 24 Feterita—in rows 10-15 56 Kaffir—broadcast 50-60 56 Kaffir—broadcast 50-60 56 Kaffir—broadcast 50-60 56 Lawn Grass 60-10 56 Kaffir—broadcast 50-60 56 Lawn Grass 60-1		95-110	48
Blue Grass, Ky.—pasture 20-30 14 Broom Grass 20-30 14 Broom Corn 10-15 48 Buckwheat 50-60 52 Cane, broadcast 50-60 50 Cane, in rows 10-12 50 Clover, Alsike—alone 5-6 60 Clover, Red—alone 10-12 60 Clover, Sweet—hulled 12-15 60 Clover, Sweet—unhulled 25-40 30 Clover, White Dutch 4-8 60 Corn 7-10 56 Corn, Pop 5-7 56 Fescue, Meadow 20-30 24 Feterita—in rows 10-15 56 Hegari—in rows 10-15 56 Kaffir—in rows 10-15 56 Kaffir—broadcast 50-60 56 Kaffir—broadcast 50-60 56 Kaffir—in rows 10-15 56 Mille Maize—in rows 60-100 50 Mille Maize—in rows <	Blue Grass, Ky.—lawns		1.4
Brome Grass 20 30 14 Broom Corn 10 15 48 Buckwheat 50 60 52 Cane, broadcast 50 60 50 Caue, in rows 10 12 50 Clover, Alsike—alone 5 6 60 60 Clover, Red—alone 10 12 60 Clover, Sweet—hulled 12 15 60 Clover, Sweet—unbulled 25 40 30 Clover, White Dutch 4 8 60 60 Corn 7 10 56 Corn, Pop 5 7 56 56 Fescue, Meadow 20 30 24 Feterita—in rows 10 15 56 Kaffir—in rows 10 15 56 Kaffir—broadcast 50 60 56 Lespedeza 15 30 25 Lawn Grass 60 10 56 Millets—for hay 30 40	Blue Grass, Ky.—pasture		14
Broom Corn 10- 15 48 Buckwheat 50- 60 52 Cane, broadcast 50- 60 50 Cane, in rows 10- 12 50 Clover, Alsike—alone 5- 6 60 Clover, Red—alone 10- 12 60 Clover, Sweet—hulled 12- 15 60 Clover, Sweet—unhulled 25- 40 30 Clover, White Dutch 4- 8 60 Corn 7- 10 56 Corn, Pop 5- 7 56 Fescue, Meadow 20- 30 24 Feterita—in rows 10- 15 56 Hegari—in rows 10- 15 56 Kaffir—broadcast 50- 60 56 Lespedeza 15- 30 25 Lawn Grass 60-100 56 Millets—for hay 30- 40 50 Milo Maize—in rows 10- 15 56 Orchard Grass—hay 20- 30 14 Peas—Cow Peas, broadcast 60- 75 60 Rape—broadcast <td></td> <td></td> <td>14</td>			14
Buckwheat 50-60 52 Cane, broadcast 50-60 50 Cane, in rows 10-12 50 Clover, Alsike—alone 5-6 60 Clover, Red—alone 10-12 60 Clover, Sweet—hulled 12-15 60 Clover, Sweet—hulled 25-40 30 Clover, White Dutch 4-8 60 Corn 7-10 56 Corn, Pop 5-7 56 Fescue, Meadow 20-30 24 Feterita—in rows 10-15 56 Hegari—in rows 10-15 56 Kaffir—in rows 10-15 56 Kaffir—broadcast 50-60 56 Laspedeza 15-30 25 Lawn Grass 60-100 Millets—for hay 30-40 50 Millets—for hay 30-40 50 Milo Maize—in rows 10-15 56 Orchard Grass—hay 20-30 14 Peas—Cow Peas, broadcast 60-75 60			
Cane, broadcast 50-60 50 Cane, in rows 10-12 50 Clover, Alsike—alone 5-6 60 Clover, Red—alone 10-12 60 Clover, Sweet—hulled 12-15 60 Clover, Sweet—unhulled 25-40 30 Clover, White Dutch 4-8 60 Corn 7-10 56 Corn, Pop 5-7 56 Fescue, Meadow 20-30 24 Feterita—in rows 10-15 56 Kaffir—in rows 10-15 56 Kaffir—in rows 10-15 56 Kaffir—in rows 10-15 56 Kaffir—in rows 60-56 56 Lespedeza 15-30 25 Lawn Grass 60-100 60 Millets—for hay 30-40 50 Millets—for hay 30-40 50 Milo Maize—in rows 10-15 56 Orchard Grass—hay 20-30 14 Pens—Cow Peas, broadcast 60-75 60 Rape—broadcast 6-70 56			
Cane, in rows 10- 12 50 Clover, Alsike—alone 5- 6 60 Clover, Red—alone 10- 12 60 Clover, Sweet—hulled 12- 15 60 Clover, Sweet—unhulled 25- 40 30 Clover, White Dutch 4- 8 60 Corn 7- 10 56 Corn, Pop 5- 7 56 Fescue, Meadow 20- 30 24 Feterita—in rows 10- 15 56 Kaffir—in rows 10- 15 56 Kaffir—broadcast 50- 60 56 Lespedeza 15- 30 25 Lawn Grass 60- 100 50 Millets—for hay 30- 40 50 Millo Maize—in rows 10- 15 56 Orchard Grass—hay 20- 30 14 Peas—Cow Peas, broadcast 60- 75 60 Rape—broadcast 6- 75 60 Rape—broadcast 6- 70 56 Sorgo—Atlas, in rows 4- 8 56 Soy Be			
Clover, Alsike—alone 5- 6 60 Clover, Red—alone 10- 12 60 Clover, Sweet—hulled 12- 15 60 Clover, Sweet—unhulled 25- 40 30 Clover, White Dutch 4- 8 60 Corn 7- 10 56 Corn, Pop 5- 7 56 Fescue, Meadow 20- 30 24 Feterita—in rows 10- 15 56 Hegari—in rows 10- 15 56 Kaffir—in rows 10- 15 56 Kaffir—broadcast 50- 60 56 Lespedeza 15- 30 25 Lawn Grass 60- 100 56 Millets—for hay 30- 40 50 Milo Maize—in rows 10- 15 56 Orchard Grass—hay 20- 30 14 Peas—Cow Peas, broadcast 60- 75 60 Rape—broadcast 6- 10 60 Rape—arly sown 56- 70 56 Rog Beans—broadcast 60- 90 60 Soy			
Clover, Red—alone			
Clover, Sweet—hulled			
Clover, White Dutch	Clover Sweet—hulled		
Clover, White Dutch	Clover Sweet—unhulled		
Corn 7- 10 56 Corn, Pop 5- 7 56 Fescue, Meadow 20- 30 24 Feterita—in rows 10- 15 56 Hegari—in rows 10- 15 56 Kaffir—in rows 10- 15 56 Kaffir—broadcast 50- 60 56 Lespedeza 15- 30 25 Lawn Grass 60-100 60 Millets—for hay 30- 40 50 Milo Maize—in rows 10- 15 56 Orchard Grass—hay 20- 30 14 Peas—Cow Peas, broadcast 60- 75 60 Rape—broadcast 6- 10 60 Rape—broadcast 6- 8 14 Rye—early sown 56- 70 56 Rye Grass 28- 35 56 Sorgo—Atlas, in rows 4- 8 56 Soy Beans—broadcast 60- 90 60 Soy Beans—in drill 50- 45 60 Soy Beans—in drills 30- 45 60 Sudan Grass—broadcast </td <td></td> <td></td> <td></td>			
Corn, Pop 5- 7 56 Fescue, Meadow 20- 30 24 Feterita—in rows 10- 15 56 Hegari—in rows 10- 15 56 Kaffir—in rows 10- 15 56 Kaffir—broadcast 50- 60 56 Lespedeza 15- 30 25 Lawn Grass 60- 100 60 Millets—for hay 30- 40 50 Millo Maize—in rows 10- 15 56 Orchard Grass—hay 20- 30 14 Peas—Cow Peas, broadcast 60- 75 60 Rape—broadcast 6- 10 60 Rape—broadcast 6- 8 14 Rye—early sown 56- 70 56 Rye Grass 28- 35 56 Sorgo—Atlas, in rows 4- 8 56 Soy Beans—broadcast 60- 90 60 Soy Beans—drill corn 15- 20 60 Soy Beans—in drills 30- 45 60 Sudan Grass—in rows 6- 10 40 Sunf			
Fescue, Meadow 20- 30 24 Feterita—in rows 10- 15 56 Hegari—in rows 10- 15 56 Kaffir—in rows 10- 15 56 Kaffir—broadcast 50- 60 56 Lespedeza 15- 30 25 Lawn Grass 60-100 60 Millets—for hay 30- 40 50 Milo Maize—in rows 10- 15 56 Orchard Grass—hay 20- 30 14 Peas—Cow Peas, broadcast 60- 75 60 Rape—broadcast 6- 10 60 Red Top—solid seed 6- 8 14 Rye—early sown 56- 70 56 Rye Grass 28- 35 56 Sorgo—Atlas, in rows 4- 8 56 Soy Beans—broadcast 60- 90 60 Soy Beans—drill corn 15- 20 60 Soy Beans—in drills 30- 45 60 Sudan Grass—broadcast 20- 30 40 Sudan Grass—in rows 6- 10 40			
Feterita—in rows 10- 15 56 Hegari—in rows 10- 15 56 Kaffir—in rows 10- 15 56 Kaffir—broadcast 50- 60 56 Lespedeza 15- 30 25 Lawn Grass 60-100 30- 40 50 Mille Maize—in rows 10- 15 56 Orchard Grass—hay 20- 30 14 Peas—Cow Peas, broadcast 60- 75 60 Rape—broadcast 6- 10 60 Red Top—solid seed 6- 8 14 Rye—early sown 56- 70 56 Rye Grass 28- 35 56 Sorgo—Atlas, in rows 4- 8 56 Soy Beans—broadcast 60- 90 60 Soy Beans—in drill 30- 45 60 Sudan Grass—broadcast 20- 30 40 Sudan Grass—in rows 6- 10 40 Sunflower 6- 8 24 Turnip 3- 5			
Kaffir—in rows 10- 15 56 Kaffir—brondcast 50- 60 56 Lespedeza 15- 30 25 Lawn Grass 60-100 Millets—for hay 30- 40 50 Millo Maize—in rows 10- 15 56 Orchard Grass—hay 20- 30 14 Peas—Cow Peas, broadcast 60- 75 60 Rape—broadcast 6- 10 60 Red Top—solid seed 6- 8 14 Rye—early sown 56- 70 56 Rye Grass 28- 35 56 Sorgo—Atlas, in rows 4- 8 56 Soy Beans—broadcast 60- 90 60 Soy Beans—in drills 30- 45 60 Sudan Grass—broadcast 20- 30 40 Sudan Grass—in rows 6- 10 40 Sunflower 6- 8 24 Turnip 3- 5	Feterita—in rows		
Kaffir—in rows 10- 15 56 Kaffir—brondcast 50- 60 56 Lespedeza 15- 30 25 Lawn Grass 60-100 Millets—for hay 30- 40 50 Millo Maize—in rows 10- 15 56 Orchard Grass—hay 20- 30 14 Peas—Cow Peas, broadcast 60- 75 60 Rape—broadcast 6- 10 60 Red Top—solid seed 6- 8 14 Rye—early sown 56- 70 56 Rye Grass 28- 35 56 Sorgo—Atlas, in rows 4- 8 56 Soy Beans—broadcast 60- 90 60 Soy Beans—in drills 30- 45 60 Sudan Grass—broadcast 20- 30 40 Sudan Grass—in rows 6- 10 40 Sunflower 6- 8 24 Turnip 3- 5	Hegari—in rows		
Kaffir—broadcast 50-60 56 Lespedeza 15-30 25 Lawn Grass 60-100 Millets—for hay 30-40 50 Millo Maize—in rows 10-15 56 Orchard Grass—hay 20-30 14 Peas—Cow Peas, broadcast 60-75 60 Rape—broadcast 6-10 60 Red Top—solid seed 6-8 14 Rye—early sown 56-70 56 Rye Grass 28-35 56 Sorgo—Atlas, in rows 4-8 56 Soy Beans—broadcast 60-90 60 Soy Beans—drill corn 15-20 60 Soy Beans—in drills 30-45 60 Sudan Grass—broadcast 20-30 40 Sudan Grass—in rows 6-10 40 Sunflower 6-8 24 Turnip 3-5			
Lespedeza 15- 30 25 Lawn Grass 60-100 Millets—for hay 30- 40 50 Milo Maize—in rows 10- 15 56 Orchard Grass—hay 20- 30 14 Peas—Cow Peas, broadcast 60- 75 60 Rape—broadcast 6- 10 60 Red Top—solid seed 6- 8 14 Rye—early sown 56- 70 56 Rye Grass 28- 35 56 Sorgo—Atlas, in rows 4- 8 56 Soy Beans—broadcast 60- 90 60 Soy Beans—drill corn 15- 20 60 Soy Beans—in drills 30- 45 60 Sudan Grass—broadcast 20- 30 40 Sudan Grass—in rows 6- 10 40 Sunflower 6- 8 24 Turnip 3- 5	Kaffir-broadcast		
Lawn Grass 60-100 Millets—for hay 30-40 50 Milo Maize—in rows 10-15 56 Orchard Grass—hay 20-30 14 Peas—Cow Peas, broadcast 60-75 60 Rape—broadcast 6-10 60 Red Top—solid seed 6-8 14 Rye—early sown 56-70 56 Rye Grass 28-35 56 Sorgo—Atlas, in rows 4-8 56 Soy Beans—broadcast 60-90 60 Soy Beans—drill corn 15-20 60 Soy Beans—in drills 30-45 60 Sudan Grass—broadcast 20-30 40 Sudan Grass—in rows 6-10 40 Sunflower 6-8 24 Turnip 3-5	Lespedeza		
Millets—for hay 30-40 50 Millo Maize—in rows 10-15 56 Orchard Grass—hay 20-30 14 Peas—Cow Peas, broadcast 60-75 60 Rape—broadcast 6-10 60 Red Top—solid seed 6-8 14 Rye—early sown 56-70 56 Rye Grass 28-35 56 Sorgo—Atlas, in rows 4-8 56 Soy Beans—broadcast 60-90 60 Soy Beans—in drill corn 15-20 60 Soy Beans—in drills 30-45 60 Sudan Grass—broadcast 20-30 40 Sudan Grass—in rows 6-10 40 Sunflower 6-8 24 Turnip 3-5			
Milo Maize—in rows 10- 15 56 Orchard Grass—hay 20- 30 14 Peas—Cow Peas, broadcast 60- 75 60 Rape—broadcast 6- 10 60 Red Top—solid seed 6- 8 14 Rye—early sown 56- 70 56 Rye Grass 28- 35 56 Sorgo—Atlas, in rows 4- 8 56 Soy Beans—broadcast 60- 90 60 Soy Beans—drill corn 15- 20 60 Soy Beans—in drills 30- 45 60 Sudan Grass—broadcast 20- 30 40 Sudan Grass—in rows 6- 10 40 Sunflower 6- 8 24 Turnip 3- 5			50
Orchard Grass—hay 20- 30 14 Peas—Cow Peas, broadcast 60- 75 60 Rape—broadcast 6- 10 60 Red Top—solid seed 6- 8 14 Rye—early sown 56- 70 56 Rye Grass 28- 35 56 Sorgo—Atlas, in rows 4- 8 56 Soy Beans—broadcast 60- 90 60 Soy Beans—drill corn 15- 20 60 Soy Beans—in drills 30- 45 60 Sudan Grass—broadcast 20- 30 40 Sudan Grass—in rows 6- 10 40 Sunflower 6- 8 24 Turnip 3- 5	Milo Maize—in rows		
Peas—Cow Peas, broadcast 60- 75 60 Rape—broadcast 6- 10 60 Red Top—solid seed 6- 8 14 Rye—early sown 56- 70 56 Rye Grass 28- 35 56 Sorgo—Atlas, in rows 4- 8 56 Soy Beans—broadcast 60- 90 60 Soy Beans—drill corn 15- 20 60 Soy Beans—in drills 30- 45 60 Sudan Grass—broadcast 20- 30 40 Sudan Grass—in rows 6- 10 40 Sunflower 6- 8 24 Turnip 3- 5			
Red Top—solid seed 6-8 14 Rye—early sown 56-70 56 Rye Grass 28-35 56 Sorgo—Atlas, in rows 4-8 56 Soy Beans—broadcast 60-90 60 Soy Beans—drill corn 15-20 60 Soy Beans—in drills 30-45 60 Sudan Grass—broadcast 20-30 40 Sudan Grass—in rows 6-10 40 Sunflower 6-8 24 Turnip 3-5	Peas-Cow Peas, broadcast		60
Red Top—solid seed 6-8 14 Rye—early sown 56-70 56 Rye Grass 28-35 56 Sorgo—Atlas, in rows 4-8 56 Soy Beans—broadcast 60-90 60 Soy Beans—drill corn 15-20 60 Soy Beans—in drills 30-45 60 Sudan Grass—broadcast 20-30 40 Sudan Grass—in rows 6-10 40 Sunflower 6-8 24 Turnip 3-5	Rane-broadcast		
Rye—early sown 56-70 56 Rye Grass 28-35 56 Sorgo—Atlas, in rows 4-8 56 Soy Beans—broadcast 60-90 60 Soy Beans—drill corn 15-20 60 Soy Beans—in drills 30-45 60 Sudan Grass—broadcast 20-30 40 Sudan Grass—in rows 6-10 40 Sunflower 6-8 24 Turnip 3-5		6- 8	14
Rye Grass 28-35 56 Sorgo—Atlas, in rows 4-8 56 Soy Beans—broadcast 60-90 60 Soy Beans—drill corn 15-20 60 Soy Beans—in drills 30-45 60 Sudan Grass—broadcast 20-30 40 Sudan Grass—in rows 6-10 40 Sunflower 6-8 24 Turnip 3-5		56- 70	56
Sorgo—Atlas, in rows 4-8 56 Soy Beans—broadcast 60-90 60 Soy Beans—drill corn 15-20 60 Soy Beans—in drills 30-45 60 Sudan Grass—broadcast 20-30 40 Sudan Grass—in rows 6-10 40 Sunflower 6-8 24 Turnip 3-5		28- 35	56
Soy Beans—broadcast 60- 90 60 Soy Beans—drill corn 15- 20 60 Soy Beans—in drills 30- 45 60 Sudan Grass—broadcast 20- 30 40 Sudan Grass—in rows 6- 10 40 Sunflower 6- 8 24 Turnip 3- 5		4- 8	56
Soy Beans—in drills 30-45 60 Sudan Grass—broadcast 20-30 40 Sudan Grass—in rows 6-10 40 Sunflower 6-8 24 Turnip 3-5		60- 90	60
Soy Beans—in drills 30-45 60 Sudan Grass—broadcast 20-30 40 Sudan Grass—in rows 6-10 40 Sunflower 6-8 24 Turnip 3-5	Soy Beans—drill corn		
Sudan Grass—broadcast 20-30 40 Sudan Grass—in rows 6-10 40 Sunflower 6-8 24 Turnip 3-5	Soy Beans—in drills		
Sunflower 6- 8 24 Turnip 3- 5	Sudan Grass-broadcast		
Sunflower	Sudan Grass-in rows		40
Turnip 3- 5			24
			45

Edward Bartling Seed Company Nebraska City, Nebraska



Sec. 562, P. L. & R.

POSTMASTER:—IF THIS IS UNDELIVERABLE AS ADDRESSED, endorse reason on envelope and return to sender. Return Postage Guaranteed.

If addressee has removed and new address is known notify sender on FORM 3547 postage for which is guaranteed.

WE QUOTE TODAY'S VALUES, FEBRUARY 10, 1938

	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
	WHITE BLOSSOM SWEET CLOVER	KENTUCKY BLUE GRASS
	Fair grade, Per Bu\$6.00 to \$ 6.50	Strictly High Grade Blue Grass-24 lb. test.
	('ho're, Per Bu	B. B. B., Per Lb
	B. B. B., Per Bu	5½ Pounds
	YELLOW BLOSSOM SWEET CLOVER	100 Pounds 15.00
	Choice, Per Bu	MIXED LAWN GRASS
	B. B. B., Per Bu	B. B. B., 5 Lbs
-	TIMOTHY	RYE GRASS
	Choice, Per Bu.	For lawns, pastures and field uses, Per 100 lbs\$11.00
	B. B. B., Per Bu	ORCHARD GRASS
1	RED CLOVER	B. B. B., Per Lb\$.20
١	Choice, Per Bn.	RED TOP
1	B. B. B., Per Bu\$24.00	Per Lb
1	ALSIKE CLOVER	Lespedeza, Ib
	Choice, Per Bu	
ļ	WHITE DUTCH (Lawn) CLOVER	GRAIN BAGS
ĺ	Fancy, Per Lb\$.50	New, each \$.33 Used, each .20c to .30
ı	PASTURE MIXTURE	BROMUS INERMUS
١	The Bartling pasture mixture contains the following suitable grass and legume seeds:	B. B., Per Cwt\$ 20.00
1	Alsike Clover	CANE OR SORGHUM
ı	Red Clover	Black Amber, Per Bu
ı	Alfalfa	Hegari, Per Bu.
ı	White Dutch Clover 1	KAFIR CORN
I	Timothy	100 Lbs
ı	Rye Grass10	ATLAS SORGO
l	Blue Grass	Per Lb\$.08
ı		SUDAN GRASS
l	TOTAL	100 Lbs\$3.50 to \$ 4.50
П	Per 100 lbs	SOY BEANS
1		
	ALFALFA	Per Bu
	ALFALFA Fair, Per Bu\$15.00	DWARF ESSEX RAPE
	ALFALFA Fair, Per Bu	DWARF ESSEX RAPE 100 Lbs\$10.00
	ALFALFA Fair, Per Bu	DWARF ESSEX RAPE

SEED GRAIN

Winter Rye, recleaned, Per Bu\$	1.10
Barley, Per Bu	
Speltz, Per Bu	
Buckwheat, Per Bu.	
Sunflower Seed, Per Lb	.12
Rye, Spring, Per Bu.	
SPRING WHEAT	
Home Grown, Per Bu\$	

SEED OATS
Home Grown, Per Bu.....\$

Folghum MISCELLANEOUS

MISCELLANEOUS	
Pop Corn, Per Lb\$.1
Sweet Corn—Ask for Prices.	
Soy Beans-Ask for Prices.	
Cow Peas—Ask for Prices.	

SEEDERS AND CLEANERS

Seed Cleaners, Freight	Paid	\$39.00
Seeders, Cyclone		2.50

FERTILIZERS

Ask for prices in hundred pounds or ton lots.

For Potatoes.

For Lawns.

GARDEN SEEDS

We carry a complete line of garden seeds in bulk. It pays to buy garden seeds in bulk lots.

Oz,	4 Oz.	Per Lb.
Beans		\$.20
Peas		.20
Radish10c	20c	.60
Tomato25c	90c	2.50
Spinach	15c	.40
Cabbage15c	50c	1.75
Parsnips10e	25c	.65
Turnips10c	20c	.50
Beets10c	20c	.85
Carrots10c	30c	1.00
Lettuce10c	30c	1.00
Onions20c	60c	2.00
Pumpkin	15c	.50
Watermelon10c	20c	.65
Muskmelon10c	25c	.75
Cucumber10c	35c	1.25

Bring us one bushel of Corn and we will give you: 4 oz. of Beans, 4 oz. of Peas, 2 oz. Spinach; and one oz. each of Radish, Lettuce, Carrot, Beet, Cucumber.

A Suggestion for 1938 VISIT

JOHN BROWN'S CAVE — CABIN — MUSEUM

An educational and historical place covering the Civil War.

IN JOHN BROWN'S TOWN
Fourth Corso at Twentieth Street
Nebraska City, Nebr.
OPEN EARLY THIS SUMMER
Development of This Project is Undertaken by

The Real Estate Account of EDWARD D. BARTLING

GANGEL'S SERVICE STATION

Sixteenth Street and Central Avenue Easy to drive into. Prompt and careful service At All Times.

GASOLINE — OIL

TASTY TAVERN

1506 CENTRAL AVENUE LUNCHES, DINNER, ICE CREAM, DRINKS An Ideal Place to Drive in on a Summer Evening. Plenty of Parking Space.

BARTLING'S ICE HOUSE

1508 CENTRAL AVENUE
Ice sold in 5c, 10c, 20c and 40c Pieces.
In the Summer Time We Sell
ICE COLD WATERMELONS

This year we are giving more attention to our bulk garden seed department, offering a complete line of quality seed in bulk at reasonable prices.

This department will have the personal supervision of Frank A. Bartling and your orders will receive prompt and careful attention.

We want to buy up to 2000 pounds of sweet corn, the Stowell's Evergreen and the Country Gentlemen varieties. Submit your samples and we will quote you our bid.

The production of sorgo in Nebraska increased from 247,000 bushels in 1936 to 1,837,000 bushels in 1937. Last year the grain yielded 40 to 50 bushels per acre besides the immense yield of forage. Plant a few acres of sorgo this year.

INOCULATION

For Alfalfa and Sweet Clovers, bushel size 50c each in

For Red and Alsike Clovers, bushel size 50c each in cans. Also for Garden Peas and Beans and Soy Beans.

SEED DISINFECTANTS

Ask for Literature.

Seed treatment for Wheat and Oats smut, Seed Corn,

B. B. Stands for Bartling's Best Brand. It is the hest grade of seeds we can offer. When you buy B. B. B. seeds you buy the best available. You can buy many lower priced seeds; for instance refer to prices on alfalfa, the cheaper grades sell at as low as \$15.00 per bushel while the B. B. B. alfalfa seed is \$21.00 per bushel

WE WILL EXCHANGE OUR FARM AND GARDEN SEEDS FOR YOUR GRAIN OR SEEDS. YOUR PATRONAGE IS INVITED.

LOTS FOR SALE



If you are interested in a good investment or a city home of your own, with all the advantages of city conveniences and better schooling for your children, now is the time to see us or drop us a card.

These lots are of the best in Nebraska City. They are within five blocks of the Court House, two blocks of the Main street of town, only one block from a fine modern school,




The "Cyclone" will sow many acres per hour, any amount per acre. Does the work quickly and

SAVES LABOR!

Our place of business is located at 1500 Central Avenue, four blocks west of the Court House in Nebraska City, Nebr. Our telephone number is 37.

FEEDS

All feed prices subject to market changes. Lots 20
to 100 bushels offered at a less price.
Corn, Per Bu\$.60
Wheat, Per Bu
Oats. Per Bu
Cracked Corn, Per Cwt 1.30
Tankage, Per Cwt
Meat Scraps, Per Cwt
Linseed Oil Meal, Per Cwt
Bran, Per Cwt
Shorts, Per Cwt 1.35
Mixed Chicken Feed, A balanced feed for winter
feeding, Per Cwt 1.50
Starting Mash, Per Cwt
Growing Mash, Per Cwt
Egg Mash, Per Cwt
Oyster Shell, Per Cwt
Bird Seed, Per Cwt 3.00
Alfaifa Molasses Feed, a 15% molasses feed with
a good grade alfalfa hay. Special price per ton 21.00
Ground Alfalfa, Per Ton\$20.00 to 25.00
Alfalfa Hay-Ask for Prices.
Prairie HayAsk for Prices.
Clover Hay—Ask for Prices.
Oats Hay-Ask for Prices.
Kaffir Fodder—Ask for Prices.
Straw-Ask for Prices.



Sixty-seven years is a long time, but it is a fact, Bartling has been in business that long. By trading with us you gain the benefit of an experience that is not easily secured from other sources.

We are buyers of Alfalfa, Red Clover, Timothy, and other farm seeds. Submit a sample and we will quote you our bid.

Let us clean and grade your seed and grain. Bring in your clovers and forage seeds and we will do a good job of recleaning, also, will grade seed corn. Our charges for doing the work are reasonable.

HYBRID CORN We know competition is keen and that everyone likes to meet the other man's price; however, we find no difficulty in selling our corn in competition with these cut prices as our corn is State Certified, treated, and carefully graded so as to make a No. 1 grade. We do not consider that a producer is wise to grow hybrid corn on a price basis. It is a high class bit of merchandise with its value almost entirely hidden from the buyer. Consequently great faith must be placed in the producer and his method of growing hybrid.

SEED CORN Our seed corn is grown within a few miles of Nebraska City. Is chosen from fields that make large yields and produce good quality corn. Each ear is hand sorted, tipped and examined. It is then shelled and graded. We stock the popular varieties: Iowa Silvermine, St. Charles Red Cob and the Reid's Yellow Dent. We also have the 90 day early kinds. \$2.00 per bushel.

Edward Bartling Seed Co.

NEBRASKA CITY, NEBRASKA



BROME GRASS

...

Brome Grass is an erect perennial with strong creeping root stocks and makes a thick, firm turf. It thrives well on dry, loose soil and appears to grow with equal vigor from Canada south into Tennessee, remaining green throughout the entire winter season in the latter State. Its strong perennial character and its unusual drouth resisting powers recommend it for general cultivation, particularly in the semi-arid regions of the west and northwest.

Like other grasses, it should be seeded early in the spring or late summer, but two months before killing frost so as to get a good start before winter comes on. Because the seed is relatively large some effort should be made to get it into the ground. Seed should be sown at the rate of 1½ to 2 bushels to the acre if sown alone—where seeded in mixtures, in a proportionate amount depending upon the number of ingredients in the mixture. It is adapted to regions of light rainfall. Roots penetrate five feet.

TIMOTHY

Timothy has been for years the standard and most widely grown hay grass. So long as there are horses to be fed, Timothy will be indispensable. On account of the cheapness of the seed, and the ease and low cost of growing and harvesting it, Timothy is the most profitable grass wherever conditions permit its cultivation.

KENTUCKY BLUE GRASS

It is the most nutritious of American pasture grasses. Recent investigations have shown that much land formerly thought to be too valuable for pasture could be put with profit into Kentucky Blue Grass. The immature grass is richer than Alfalfa hay; the tital product of an acre of good Kentucky Blue Grass pasture contains two and a half to three times as much digestible protein as that contained in the product of equally good land devoted to the usual four-year grain and hay rotation.

BIENNIAL WHITE BLOSSOM SWEET CLOVER

This is the commonest type of Sweet Clover and the one which has come to the front so rapidly in recent years for forage, pasture, and soil improvement. It will grow in almost any climate and on almost any type of soil, thriving on land too poor for Alfalfa or Red Clover. It is a biennial, disappearing at the end of the second season unless allowed to go to seed and reseed itself. It fits we'll into the rotation scheme and may be sown with corn at the time of last cultivation or following a crop of winter grain. As hay or green forage it ranks with Alfalfa in feeding value.

ALFALFA

Alfalfa deserves to rank first among the legumes.

It is the mainstay of the dairyman. It furnishes more green forage, more pasture and more dry hay per acre than any other known variety of hay or grass. It is relished by stock. For feeding it is worth more per pound of dry matter than any other forage. As a nitrogen gatherer it is equal to any of the clovers.